BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 41 NOS. 1,2

CONTENTS

5 SEPTEMBER 1996

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMB Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS	(ASE) - S)
Publisher's Note	,
Guidelines for the submission of manuscripts	v
Research reports	
Expression of serotonin receptors in human fetal astrocytes and glioma cell lines: a possible role in glioma cell proliferation and migration A. Merzak, S. Koochekpour, MP. Fillion, G. Fillion and G.J. Pilkington (UK, United Arab Emirates, France) Regulation of androgen receptor mRNA expression in hamster facial motoneurons: differential effects of non-aromatizable and aromatizable	;
androgens S.M. Drengler, R.J. Handa and K.J. Jones (USA)	
The mesolimbic dopaminergic pathway is more resistant than the nigrostriatal dopaminergic pathway to MPTP and MPP ⁺ toxicity: role of BDNF gene expression	
HC. Hung and E.H.Y. Lee (Taiwan, ROC)	10
Involvement of the caudal striatum in auditory processing: c-fos response to cortical application of picrotoxin and to auditory stimulation	
E. Arnauld, Y. Jeantet, J. Arsaut and J. Demotes-Mainard (France)	2
Neuronal nitric oxide synthase (nNOS) mRNA expression and NADPH-diaphorase staining in the frontal cortex, visual cortex and hippocampus of control and Alzheimer's disease brains	
P.J. Norris, R.L.M. Faull and P.C. Emson (UK, New Zealand)	36
Creatine kinase-B mRNA levels in brain regions from male and female rats	
S.E. Ilyin, G. Sonti, G. Molloy and C.R. Plata-Salamán (USA)	50
Changes in the expression of transcription factors ATF-2 and Fra-2 after axotomy and during regeneration in rat retinal ganglion cells G.A. Robinson (USA)	57
Cultured astrocytes express biglycan, a chondroitin/dermatan sulfate proteoglycan supporting the survival of neocortical neurons	
A. Koops, J. Kappler, U. Junghans, G. Kuhn, H. Kresse and H.W. Müller (Germany, USA)	65
Transient expression of the mitogen-activated protein kinase phosphatase MKP-1 (3CH134/ERP1) in the rat brain after limbic epilepsy	
P. Gass, A. Eckhardt, H. Schröder, R. Bravo and T. Herdegen (Germany, USA)	74
Molecular cloning of ictacalcin: a novel calcium-binding protein from the channel catfish, Ictalurus punctatus	0.1
A.R. Porta, E. Bettini, O.I. Buiakova, H. Baker, W. Danho and F.L. Margolis (USA)	81
Expression of c-fos, jun D and pp 60^{c-src+} mRNAs in the developing and grafted rat striatum	00
N.S.K. Haque, J.M. Fernandez, E. Mayer, R.P. Heavens, S.B. Dunnett and D.J.S. Sirinathsinghji (UK)	90
Regulation of alternative splicing of NMDAR1 in the kindling model	05
J.E. Kraus, J.V. Nadler and J.O. McNamara (USA)	97
Tetrahydrobiopterin biosynthesis in C6 glioma cells: induction of GTP cyclohydrolase I gene expression by lipopolysaccharide and cytokine treatment	
C. D'Sa, K. Hirayama, A. West, M. Hahn, M. Zhu and G. Kapatos (USA)	105
Cellular expression of the immediate early transcription factors Nurr1 and NGFI-B suggests a gene regulatory role in several brain regions	
including the nigrostriatal dopamine system	111
R.H. Zetterström, R. Williams, T. Perlmann and L. Olson (Sweden)	111
Effects of dexfenfluramine or 5,7-dihydroxytryptamine on tryptophan hydroxylase and serotonin transporter mRNAS in rat dorsal raphe S.L. Semple-Rowland, A. Mahatme and N.E. Rowland (USA)	121
Distribution and levels of insulin-like growth factor (IGF-I and IGF-II) and insulin receptor binding sites in the spinal cords of amyotrophic lateral	121
sclerosis (ALS) patients	
S. Doré, C. Krieger, S. Kar and R. Quirion (Canada)	128
Cloning and expression of the proteolipid protein DM20 cDNA from the brain of the rainbow trout, Oncorhynchus mykiss	
S. Tang, J.P. Panno and B.A. McKeown (Canada)	134
Effect of morphine on proopiomelanocortin gene expression and peptide levels in the hypothalamus	
S.L. Wardlaw, J. Kim and S. Sobieszczyk (USA)	140
Efficient adenoviral vector-directed expression of a foreign gene to neurons and sustentacular cells in the mouse olfactory neuroepithelium	
A LCD Holtmost WT LMC Harmons A P Oestraicher WH Gispan MC Vanlitt and I Varhaggen (The Notherlands USA)	1.49

(contents continued on p. 305)



0169-3288(19960905)41-1/2-1-1

(contents continued from back cover)

S. Li, V. Grinevich, A. Fournier and G. Pelletier (Canada) Down-regulation of the GABA receptor subunits mRNA levels in mammalian cultured cortical neurons following chronic neurosteroid treatment R. Yu, P. Follesa and M.K. Ticku (USA) Purkinje neurons express the SERCA3 isoform of the organellar type Ca ²⁺ -transport ATPase F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, G. Callewaert, L. Dode, L. Missiaen and R. Casteels (Belgium) GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts 1.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Down-regulation of the GABA receptor subunits mRNA levels in mammalian cultured cortical neurons following chronic neurosteroid treatment R. Yu, P. Follesa and M.K. Ticku (USA) Purkinje neurons express the SERCA3 isoform of the organellar type Ca ²⁺ -transport ATPase F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, G. Callewaert, L. Dode, L. Missiaen and R. Casteels (Belgium) GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response elemet-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts 1.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
R. Yu, P. Follesa and M.K. Ticku (USA) Purkinje neurons express the SERCA3 isoform of the organellar type Ca ²⁺ -transport ATPase F. Baba-Aissa, L. Raeymaekers, F. Wuytack, G. Callewaert, L. Dode, L. Missiaen and R. Casteels (Belgium) GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts 1.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
F. Baba-Aïssa, L. Raeymaekers, F. Wuytack, G. Callewaert, L. Dode, L. Missiaen and R. Casteels (Belgium) GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
GDNF mRNA levels are induced by FGF-2 in rat C6 glioblastoma cells C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
C. Suter-Crazzolara and K. Unsicker (Germany) A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts 1.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
A facilitatory effect on the induction of long-term potentiation in vivo by chronic administration of antisense oligodeoxynucleotides against catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
catalytic subunits of calcineurin S. Ikegami, A. Kato, Y. Kudo, T. Kuno, F. Ozawa and K. Inokuchi (Japan) Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 24
Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected *Trichoplusia ni** insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Demonstration of a second pharmacologically active promoter region in the NGF gene that induces transcription at exon 3 M.M. Racke, P.J. Mason, M.P. Johnson, R.G. Brankamp and M.D. Linnik (USA) Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected *Trichoplusia ni** insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
D.Y. Ho, J.R. McLaughlin and R.M. Sapolsky (USA) Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Alterations of cAMP response element-binding activity in the aged rat brain in response to administration of rolipram, a cAMP-specific phosphodiesterase inhibitor M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected Trichoplusia ni insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
M. Asanuma, S. Nishibayashi, E. Iwata, Y. Kondo, T. Nakanishi, M.G. Vargas and N. Ogawa (Japan) Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Gonadotropin-releasing hormone gene expression in teleosts I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 24
I.S. Parhar, D.W. Pfaff and M. Schwanzel-Fukuda (USA) Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 216
Overexpression of a functional NMDA receptor subunit (NMDAR1) in baculovirus-infected <i>Trichoplusia ni</i> insect cells S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 24
S. Sydow, A.K.E. Köpke, T. Blank and J. Spiess (Germany) Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 24
Differential effects of clozapine and haloperidol on dopamine receptor mRNA expression in rat striatum and cortex S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA) 24
S.P. Damask, K.A. Bovenkerk, G. De la Pena, K.M. Hoversten, D.B. Peters, A.M. Valentine and J.H. Meador-Woodruff (USA)
Expression of insulin receptor-related receptor in the rat brain examined by in situ hybridization and immunohistochemistry
N. Tsuji, K. Tsujimoto, N. Takada, K. Ozaki, M. Ohta and N. Itoh (Japan)
1,25-Dihydroxyvitamin D ₃ regulates the expression of the low-affinity neurotrophin receptor
P. Naveilhan, I. Neveu, C. Baudet, H. Funakoshi, D. Wion, P. Brachet and M. Metsis (France, Sweden)
Sequence analysis of PG10.2, a gene expressed in the pineal gland and the outer nuclear layer of the retina
X. Wang, M.J. Brownstein and W.S. Young III (USA)
Expression of the fibroblast growth factor family and their receptor family genes during mouse brain development
K. Ozawa, T. Uruno, K. Miyakawa, M. Seo and T. Imamura (Japan)
A conserved disulfide loop facilitates conformational maturation in the subunits of the acetylcholine receptor
E.C. Walcott and K. Sumikawa (USA)
Corrigendum 30
Author Index

